

GESAMTÜBERSICHT

2022

Voss M, Kleinau G, Gimber N, Janek K, Bredow C, They F, Impens F, Schmoranzer J, Scheerer P, Kloetzel PM, **Beling A**. A cytosolic disulfide bridge-supported dimerization is crucial for stability and cellular distribution of Coxsackievirus B3 protein 3A. **FEBS Journal** 2022 doi: 10.1111/febs.16368.

Voss M, Pinkert S, Kespohl M, Gimber N, Klingel K, Schmoranzer J, Laue M, Gaida M, Kloetzel OM, **Beling A**. A Conserved Cysteine Residue in Coxsackievirus B3. Protein 3A with Implication for Elevated Virulence. **Viruses** 2022, 14, 769. doi.org/10.3390/v14040769

Gast, M., Nageswaran, V., Kuss, A.W., Tzvetkova, A., Wang, X., Mochmann, L.H., Rad, P.R., Weiss, S., Simm, S., Zeller, T., Voelzke, H., Hoffmann, W., Völker, U., Felix, S.B., Dörr, M., Beling, A., Skurk, C., Leistner, D.M., Rauch, B.H., Hirose, T. tRNA-like Transcripts from the NEAT1-MALAT1 Genomic Region Critically Influence Human Innate Immunity and Macrophage Functions. **Cells**. 2022;11(24).doi: [10.3390/cells11243970](https://doi.org/10.3390/cells11243970)

2021

They F, Martina L, Asselman C, Vessely M, Zhang Y, Repo H, Sedeyn K, Moschonas GD, Bredow C, Wen Teo Q, Zhang J, Leandro K, Eggermont D, De Sutter D, Boucher K, Hochepped T, Festjens N, Callewaert N, Saelens X, Dermaut B, Knobloch KP, **Beling A**, Sanyal S, Radoshevich L, Eyckerman S, Impens F. Ring Finger Protein 213 Assembles into a Sensor for ISGylated Proteins with Antimicrobial Activity, **Nature Communications** 2021;12(1):5772. doi: 10.1038/s41467-021-26061-w.

Voss M, Braun V, Bredow C, Kloetzel PM, **Beling A**. Coxsackievirus B3 Exploits the Ubiquitin-Proteasome System to Facilitate Viral Replication. **Viruses**. 2021;13(7):1360. doi: 10.3390/v13071360

Munnur D, Teo Q, Eggermont D, Lee HHY, They F, Ho J, van Leur SW, Ng WWS, Siu LYL, **Beling A**, Ploegh H, Pinto-Fernandez A, Damianou A, Kessler B, Impens F, Pun Mok CK and Sanyal S. Altered ISGylation drives aberrant macrophage-dependent immune responses during SARS-CoV-2 infection, **Nature Immunology**, 2021;22(11):1416-1427. doi: 10.1038/s41590-021-01035-8.

Pinkert S, Kespohl M, Kelm N, Kaya Z, Heuser A, Klingel K, **Beling A**. Exploration of Analgesia with Tramadol in the Coxsackievirus B3 Myocarditis Mouse Model. **Viruses** 2021; 13(7):1222. doi.org/10.3390/v13071222

Goetzke CG, Althof N, Neumaier HL, Heuser A, Kaya Z, Kespohl M, Klingel K, **Beling A**. Mitigated viral myocarditis in A/J mice by the immunoproteasome inhibitor ONX 0914 depends on inhibition of systemic inflammatory responses in CoxsackievirusB3 infection. **Basic Research in Cardiology** 2021 116, 7 (2021). doi.org/10.1007/s00395-021-00848-w

Böhnke J, Pinkert S, Schmidt M, Binder H, Bilz NC, Jung M, Reibetanz U, **Beling A**, Rujescu D, Claus C. Coxsackievirus B3 Infection of Human iPSC Lines and Derived Primary Germ-Layer Cells Regarding Receptor Expression. **International Journal of Molecular Sciences** 2021, 22, 1220. doi.org/10.3390/ijms22031220

Hazini, A., Dieringer, B., Pryshliak, M., Knoch, K.P., Heimann, L., Tolksdorf, B., Pappritz, K., El-Shafeey, M., Solimena, M., **Beling, A.**, Kurreck, J., Klingel, K., Fechner, H. miR-375- and miR-1-Regulated Coxsackievirus B3 Has No Pancreas and Heart Toxicity But Strong Antitumor Efficiency in Colorectal Carcinomas. **Human Gene Therapy** 2021;32(3-4):216-30. doi: [10.1089/hum.2020.228](https://doi.org/10.1089/hum.2020.228)

2020

Pinkert S, Kopp A, Brückner V, Fechner H, **Beling A**. Single point mutations within the Coxsackie B virus receptor-binding site promote resistance against soluble virus receptor traps. **Journal of Virology** 2020;94(19):e00952-20. doi: 10.1128/JVI.00952-20.

Bockstahler M, Fischer A, Goetzke CC, Neumaier HL, Sauter M, Kespohl M, Müller AM, Meckes C, Salbach C, Schenk M, Heuser A, Landmesser U, Weiner J, Meder B, Lehmann L, Kratzer A, Klingel K, Katus HA, Kaya Z, **Beling A**. Heart-specific immune responses in an animal model of autoimmune-related myocarditis mitigated by an immunoproteasome inhibitor and genetic ablation. **Circulation** 2020; 141:1885.

Kespohl M, Bredow C, Klingel K, Voß M, Paeschke A, Zickler M, Poller W, Kaya Z, Eckstein J, Fechner H, Spranger J, Fähling M, Wirth EK, Radoshevich L, Thery F, Impens F, Berndt N, Knobloch KP, **Beling A**. Protein modification with ISG15 blocks Coxsackievirus pathology by antiviral and metabolic reprogramming. **Science Advances** 2020; 6(11):eaay1109.

Pinkert S, Pryshliak M, Pappritz K, Knoch K, Hazini A, Dieringer B, Schaar K, Dong F, Hinze L, Lin J, Lassner D, Klopffleisch R, Solimena M, Tschöpe C, Kaya Z, **Beling A**, Kurreck J, van Linthout S, Klingel K, Fechner H. Development of a New Mouse Model for Coxsackievirus-Induced Myocarditis by Attenuating Coxsackievirus B3 Virulence in the Pancreas Cardiovasc Res. 2020 Aug 1;116(10):1756-1766. doi: 10.1093/cvr/cvz259.

*Neumaier HL, Harel S, Klingel K, Kaya Z, Heuser A, Kespohl M and **Beling A**. ONX 0914 Lacks Selectivity for the Cardiac Immunoproteasome in CoxsackievirusB3 Myocarditis of NMRI Mice and Promotes Virus-Mediated Tissue Damage. **Cells** 2020; 9(5):1093.*

2019

Zhang Y, Thery F, Wu NC, Luhmann EK, Dussurget O, Foecke M, Bredow C, Jiménez-Fernández D, Leandro K, **Beling A**, Knobloch KP, Impens F, Cossart P, Radoshevich L. The in vivo ISGylome links ISG15 to metabolic pathways and autophagy upon *Listeria monocytogenes* infection. **Nature Communications** 2019;10(1):5383.

Pinkert S, Dieringer B, Klopffleisch R, Savvatis K, Van Linthout S, Pryshliak M, Tschöpe C, Klingel K, Kurreck J, **Beling A***, Fechner H*. Early Treatment of Coxsackievirus B3-Infected Animals With Soluble Coxsackievirus-Adenovirus Receptor Inhibits Development of Chronic Coxsackievirus B3 Cardiomyopathy. **Circulation Heart Failure** 2019;12(11):e005250. * equal contribution

Pinkert S, Pryshliak M, Pappritz K, Knoch K, Hazini A, Dieringer B, Schaar K, Dong F, Hinze L, Lin J, Lassner D, Klopffleisch R, Solimena M, Tschöpe C, Kaya Z, **Beling A**, Kurreck J, van Linthout S, Klingel K, Fechner H. Development of a New Mouse Model for Coxsackievirus-Induced Myocarditis by Attenuating Coxsackievirus B3 Virulence in the Pancreas Cardiovasc Res. 2020 Aug 1;116(10):1756-1766. doi: 10.1093/cvr/cvz259.

2018

Althof N, Goetzke CC, Kespohl M, Voss K, Heuser A, Pinkert S, Kaya Z, Klingel K, **Beling A**. The immunoproteasome-specific inhibitor ONX 0914 reverses susceptibility to acute viral myocarditis. **EMBO Molecular Medicine** 2018;10(2):200.

Meyer, I.S.*, Goetzke, C.C.*, Kespohl, M., Sauter, M., Heuser, A., Eckstein, V., Vornlocher, H.-P., Anderson, D.G., Haas, J., Meder, B., Katus HA, Klingel K, **Beling A***, Leuschner F*. (2018). Silencing the CSF-1 Axis Using Nanoparticle Encapsulated siRNA Mitigates Viral and Autoimmune Myocarditis. **Frontiers in immunology** 9. * equal contribution

Napolitano A, van der Veen AG, Bunyan M, Borg A, Frith D, Howell S, Kjaer S, **Beling A**, Snijders AP, Knobloch KP, Frickel EM. Cysteine-Reactive Free ISG15 Generates IL-1 β -Producing CD8 α Dendritic Cells at the Site of Infection. **Journal of Immunology** 2018; 15;201(2):604.

Loebel M, Holzhauser L, Hartwig JA, Shukla PC, Savvatis K, Jenke A, Gast M, Escher F, Becker SC, Bauer S, Stroux A, **Beling A**, Kespohl M, Pinkert S, Fechner H, Kuehl U, Lassner D, Poller W, Schultheiss HP, Zeller T, Blankenberg S, Papageorgiou AP, Heymans S, Landmesser U, Scheibenbogen C, Skurk C. The forkhead transcription factor Foxo3 negatively regulates natural killer cell function and viral clearance in myocarditis. **European**

Heart Journal 2018; 39(10):876.

Beling, A., and Kespohl, M. (2018). Proteasomal Protein Degradation: Adaptation of Cellular Proteolysis With Impact on Virus-and Cytokine-Mediated Damage of Heart Tissue During Myocarditis. **Frontiers in Immunology** 9.

bis 2017

Respondek D, Voss M, Kühlewindt I, Klingel K, Krüger E, **Beling A.** PA28 modulates antigen processing and viral replication during coxsackievirus B3 infection. **PLoS One.** 2017; 9;12(3):e0173259.

Spur EM, Althof N, Respondek D, Klingel K, Heuser A, Overkleeft HS, **Voigt A.** Inhibition of chymotryptic-like standard proteasome activity exacerbates doxorubicin-induced cytotoxicity in primary cardiomyocytes. **Toxicology** 2016; 353-354:34.

Paeschke A*, Possehl A,*, Klingel K, Voss M, Voss K, Kespohl M, Sauter M, Overkleeft HS, Althof N, Garlanda C, **Voigt A.** The availability of the cardio-protective pattern recognition molecule Pentraxin3 is controlled by the immunoproteasome. **European Journal of Immunology** 2016; 46(3):619.

Gast M, Schroen B, **Voigt A,** Haas J, Kuehl U, Lassner D, Skurk C, Escher F, Wang X, Kratzer A, Michalik K, Papageorgiou A, Peters T, Loebel M, Wilk S, Althof N, Prasanth KV, Katus H, Meder B, Nakagawa S, Scheibenbogen C, Schultheiss HP, Landmesser U, Dimmeler S, Heymans S, Poller W. Long noncoding RNA MALAT1-derived mascRNA is involved in cardiovascular innate immunity. **Journal of Molecular and Cellular Biology** 2016 Apr;8(2):178.

Keller M, Ebstein F, Bürger E, Textoris-Taube K, Gorny X, Urban S, Zhao F, Dannenberg T, Sucker A, Keller C, Saveanu L, Krüger E, Rothkötter HJ, Dahlmann B, Henklein P, **Voigt A,** Kuckelkorn U, Paschen A, Kloetzel PM, Seifert U. The proteasome immunosubunits, PA28 and ER-aminopeptidase 1 protect melanoma cells from efficient MART-126-35 -specific T-cell recognition. **European Journal of Immunology** 2015; 45:3257-68.

Rahnefeld A, Klingel K, Schuermann A, Diny NL, Althof N, Lindner A, Bleienheuft P, Savvatis K, Respondek D, Opitz E, Ketscher L, Sauter M, Seifert U, Tschöpe C, Poller W, Knobeloch KP, **Voigt A.** Ubiquitin-like protein ISG15 in host defense against heart failure in a mouse model of virus-induced cardiomyopathy. **Circulation** 2014; 130:1589.

Mishto M, Liepe J, Textoris-Taube K, Keller C, Henklein P, Weberruß M, Dahlmann B, Enenkel C, **Voigt A,** Kuckelkorn U, Stumpf MP, Kloetzel PM. Proteasome isoforms exhibit only quantitative differences in cleavage and epitope generation. **European Journal of Immunology** 2014; 44:3508-3521.

Ebstein F*, **Voigt A***, Lange N, Warnatsch A, Schröter F, Prozorovski T, Kuckelkorn U, Aktas O, Seifert U, Kloetzel PM, Krüger E. Immunoproteasomes Are Important for Proteostasis in Immune Responses. **Cell** 2013; 152:935-937. ***equal contribution**

Voigt A, Rahnefeld A, Kloetzel PM and Krüger E. *Cytokine-induced oxidative stress in cardiac inflammation and heart failure-how the ubiquitin proteasome system targets this vicious cycle.* **Frontiers in Oxidant Physiology** 2013; 4:42 (1-6)

Opitz E, Koch A, Klingel K, Schmidt F, Prokop S, Rahnefeld A, Sauter M, Heppner F, Völker U, Kandolf R, Kuckelkorn U, Stangl K, Krüger E, Kloetzel PM, **Voigt A.** Impairment of immunoproteasome function by beta5i/LMP7 subunit deficiency results in severe enterovirus myocarditis. **PLoS Pathogens** 2011; 7(9):e1002233.

Rahnefeld A, Ebstein F, Albrecht N, Opitz E, Kuckelkorn U, Stangl K, Rehm A, Kloetzel PM, **Voigt A.** Antigen Presentation Capacity of Dendritic Cells is Impaired in Ongoing Enterovirus-Myocarditis. **European Journal of Immunology** 2011; 41:2774.

Voigt A, Elgeti T, Durmus T, Idiz ME, Butler C, Beling M, Schilling R, Klingel K, Kandolf R, Stangl K, Taupitz M, Kivelitz D, Wagner M. Cardiac Magnetic Resonance in Dilated

Cardiomyopathy in Adults – Towards Identification of Myocardial Inflammation. **European Radiology** 2011; 21:925-935.

Voigt A, Trimpert C, Bartel K, Egerer K, Feist E, Gericke C, Kandolf R, Klingel K, Kuckelkorn U, Stangl K, Felix SB, Baumann G, Kloetzel PM, Staudt A. Lack of Evidence for a Pathogenic Role of Proteasome-Directed Autoimmunity in Dilated Cardiomyopathy. **Basic Research in Cardiology** 2010; 105:557-567.

Voigt A, Jaekel S, Textoris-Taube K, Keller C, Drung I, Szalay G, Klingel K, Henklein P, Stangl K, Kloetzel PM, Kuckelkorn U. Generation of in silico predicted Coxsackievirus B3-derived MHC class I epitopes by proteasomes. **Amino Acids** 2010; 39:243-255.

Voigt A, Bartel K, Egerer K, Trimpert C, Feist E, Gericke C, Kandolf R, Klingel K, Kuckelkorn U, Stangl K, Felix SB, Baumann G, Kloetzel PM, Staudt A. Humoral anti-proteasomal autoimmunity in dilated cardiomyopathy. **Basic Research in Cardiology** 2010; 105:9-18.

Seifert U, Bialy LP, Ebstein F, Bech-Otschir D, **Voigt A**, Schröter F, Prozorovski T, Lange L, Steffen J, Rieger M, Kuckelkorn U, Aktas O, Kloetzel PM, Krüger E. Immunoproteasomes preserve protein homeostasis upon interferon-induced oxidative stress. **Cell** 2010; 142:613-624.

Wagner W, Butler C, Rief M, **Voigt A**, Beling M, Durmus T, Huppertz A, Baumann G, Hamm B, Lembcke A, Vogtmann T. Comparison of Non gated versus ECG-gated 64-Detector Row Computed Tomography for Integrated Electroanatomic Mapping in Patients Undergoing Pulmonary Vein Isolation. **Europace** 2010; 12:1090-1097.

Jäkel S, Kuckelkorn U, Szalay G, Plötz M, Textoris-Taube K, Opitz E, Klingel K, Stevanovic S, Kandolf R, Kotsch K, Stangl K, Kloetzel PM, **Voigt A**. Differential interferon responses enhance viral epitope generation by myocardial immunoproteasomes in murine enterovirus myocarditis. **American Journal of Pathology** 2009; 175:510.

Strehl B, Textoris-Taube K, Jäkel S, **Voigt A**, Henklein P, Steinhoff U, Kloetzel PM, Kuckelkorn U. Antitopes define preferential proteasomal cleavage site usage. **Journal of Biological Chemistry** 2008; 283:17891-17897.

Voigt A, Salzmann U, Seifert U, Dathe M, Soza A, Kloetzel PM, Kuckelkorn U. 20S proteasome-dependent generation of an IEpp89 murine cytomegalovirus-derived H-2L(d) epitope from a recombinant protein. **Biochemical and Biophysical Research Communications** 2007; 355:549-554.

Szalay G*, Meiners S*, **Voigt A***, Lauber J, Spieth C, Speer N, Sauter M, Kuckelkorn U, Zell A, Klingel K, Stangl K, Kandolf R. Ongoing coxsackievirus myocarditis is associated with increased formation and activity of myocardial immunoproteasomes. **American Journal of Pathology** 2006; 168:1542-1552. * equal participation

Wang Q, Sanad W, Miller LM, **Voigt A**, Klingel K, Kandolf R, Stangl K and Baumann G. Infrared imaging of compositional changes in inflammatory cardiomyopathy. **Vibrational Spectroscopy**. 2005; 217-222.